





INTRODUCTION

FYTERTECH NONWOVENS²⁰

Risborg are the official distributors of FyterTech Nonwovens[™] meltblown Lubetech[™] absorbents and spill products in Denmark.

Together, we provide a unique blend of spill control knowledge and experience, along with an unrivalled selection of meltblown absorbents and spill control products.

We provide products and solutions to cover all industry sectors and application types. So, from simple meltblown pads for recovering small scale spills and leaks up to large scale environmental events, we can help.

And our expertise doesn't end there. We can visit your premises and provide a detailed report to advise what equipment is required and where it should be located. We can also arrange training for guidance on how to use the spill equipment. Ask us today to help you, your employees and your business to stay safe and protect the environment.

CONTENTS

Absorbent Technologies Explained	4-5
Meltblown Bonded Absorbents	6
Meltblown Single Lamination Absorbents	7
Sock Absorbents	8
Pillow Absorbents	8
Boom Absorbents	9
Sweep Absorbent	9
Portable Spill Kits	10
Static Spill Kits	10
Wheeled Container Spill Kits	11

Marine Spill Kits	12		
Mercury Spill Kits	12		
Acid Neutraliser	12		
Secondary Containment Spill Prevention	13		
Site Mat Spill Containment	14		
Leak Diverters	14		
Drain Protection	15		
Drain Filtration	15		
Spill Recovery Granules	15		
Chemical Compatability Chart	Back Cover		





RISBORG





ABSORBENT TECHNOLOGIES EXPLAINED


FyterTech Nonwovens[™] manufacture meltblown Lubetech[™] absorbent pads and rolls in a range of constructions, weights, sizes and formats to absorb different fluid types. To help you select the most suitable absorbent for the task, we explain here what the different options mean.




Absorbent constructions

Our absorbent pads and rolls are available in a range of construction types and weights. How an absorbent is constructed will affect its durability, wicking performance (the rate at which fluid is drawn up in to the absorbent) and also its slip-resistance if being used as a floor covering.







Unbonded

Unbonded meltblown is made by simply melting a polypropylene resin, then squirting the resulting very fine fibres to form a continuous mat. The desired weight is accumulated in a single pass, and is then cut into pads or rolls. Unbonded absorbents offer fast absorption but limited durability, these absorbents are not perforated. Unbonded meltblown is only available in an Oil Only format (Not listed in catalogue please ask for more details).

Bonded

Bonded is made just like unbonded but in addition is passed through sonic heads. These sonic bond points fuse the fibres together at small points, (the area covered by these bond points is approximately 5% of the pad so it offers some effective lint control). This process makes the absorbent a little stronger, but from an economic view point it can often be better to choose a single laminated version instead.

Single Laminated

This is in our opinion the best all-round construction. We sonically attached thin layer of 'no-lint' spun-bond material to the top surface of the meltblown core. This greatly reduces the linting, (fibres detaching easily) and improves the strength. When used in a roll format, it has a large advantage of not being as slippery under foot when the meltblown core is placed face down.

Meltblown absorbents made in the UK

Meltblown polypropylene non-woven absorbents

- → Made with 100% polypropylene that is melted then squirted and 'blown' under high pressure
- Offers good strength, heat resistance and durability.
- → High-loft offers good absorbency rates.
- → Oil Only is the best choice for recovering oil-based spills on bodies of water.
- Oil Only absorbents are hydrophobic and repel water-based fluids but attract oil-based fluids.
- → Maintenance absorbents are hydrophilic and absorb both oil- and water-based fluids at the same time.
- Chemical absorbents are the same as Maintenance but contain yellow pigment to indicate that they may contain hazardous substances.

Absorbent weights and formats

FyterTech Nonwovens offer a wide range of absorbents in a range of weights and formats

Absorbent weights

- → Light
- Medium
- Heavy.

Formats available

- → Pads
- → Pillows
- → Socks
- Booms
- → Sweep










MELTBLOWN BONDED ABSORBENTS

Bonded meltblown polypropylene is a very effective absorbent for both oil-based and water-based fluids. The sonic bond points prevent stray fibres from becoming detached. Both pads and rolls are perforated which allows for the correct amount of absorbent to be easily selected.



- → White Oil Only absorbents will recover just oil-based fluids.
- Grey Maintenance absorbents will recover both water- and oil -based fluids at the same time.
- → Pads and rolls are perforated to allow for more economical use.
- → 100 or 200 bales of pads available.
- Available in light and medium weights - ask us for details of other weight options or see our website.



Above: Maintenance bonded pads used in manufacturing to protect finished products





Light and medium weight bonded absorbents

Product Code	Description	Dimensions cm/m (L x W)	Quantity	Format	Weight	Brand	
21-1044	Bonded Oil Only pad	50cm x 40cm	200	Oil Only	Light Weight	Lubetech	0
210XMBWPB	Bonded Oil Only pad	50cm x 40cm	100	Oil Only	Medium Weight	Lubetech	0
210MBWSRB	Bonded Oil Only roll	40cm x 40m	1	Oil Only	Medium Weight	Lubetech	0
12-1001	Bonded Maintenance pad	50cm x 40cm	200	Maintenance	Light Weight	Lubetech	0
210XMBGPB	Bonded Maintenance pad	50cm x 40cm	100	Maintenance	Medium Weight	Lubetech	0
210MBGSRB	Bonded Maintenance roll	40cm x 40m	1	Maintenance	Medium Weight	Lubetech	0


All figures are +/-5%.

RISBORG

MELTBLOWN SINGLE LAMINATE ABSORBENTS

Adding a spun-bond top layer of lamination to a meltblown polypropylene core produces a structure that is both strong and very absorbent. This 'best of both worlds' construction delivers optimal strength combined with fast absorbency.

- → White Oil Only absorbents will recover just oil-based fluids.
- → Grey and black Maintenance absorbents will recover both waterand oil-based fluids at the same time.
- Yellow Chemical absorbents signify the potential presence of hazardous substances.
- → Pads and rolls are perforated to allow for more economical use.





_Spun-bond cover







Medium weight single laminate absorbent

Product Code	Description	Dimensions cm/m (L x W)	Quantity	Format	Weight	Brand		
77-7000	Single Laminate Oil Only pad	50cm x 40cm	100	Oil Only	Medium Weight	Lubetech	0	
77-7001	Single Laminate Oil Only roll	50cm x 40m	1	Oil Only	Medium Weight	Lubetech	0	
77-7002	Single Laminate Oil Only roll	90cm x 40m	1	Oil Only	Medium Weight	Lubetech		0
77-5000	Single Laminate Maintenance pad	50cm x 40cm	100	Maintenance	Medium Weight	Lubetech	0	
77-5001	Single Laminate Maintenance roll	50cm x 40m	1	Maintenance	Medium Weight	Lubetech	0	
77-5002	Single Laminate Maintenance roll	90cm x 40m	1	Maintenance	Medium Weight	Lubetech		0
77-6000	Single Laminate Chemical pad	50cm x 40cm	100	Chemical	Medium Weight	Lubetech	0	
77-6001	Single Laminate Chemical roll	50cm x 40m	1	Chemical	Medium Weight	Lubetech	0	
77-6002	Single Laminate Chemical roll	90cm x 40m	1	Chemical	Medium Weight	Lubetech		0

Heavy weight single laminate absorbent

II figu	res	are	+/-	5%
---------	-----	-----	-----	----

Product Code	Description	Dimensions cm/m (L x W)	Quantity	Format	Weight	Brand	
76-7000	Single Laminate Oil Only pad	50cm x 40cm	100	Oil Only	Heavy Weight	Lubetech	0
76-7001	Single Laminate Oil Only roll	50cm x 40m	1	Oil Only	Heavy Weight	Lubetech	0
76-7002	Single Laminate Oil Only roll	90cm x 40m	1	Oil Only	Heavy Weight	Lubetech	0
76-5000	Single Laminate Maintenance pad	50cm x 40cm	100	Maintenance	Heavy Weight	Lubetech	0
76-5001	Single Laminate Maintenance roll	50cm x 40m	1	Maintenance	Heavy Weight	Lubetech	0
76-5002	Single Laminate Maintenance roll	90cm x 40m	1	Maintenance	Heavy Weight	Lubetech	0
76-6000	Single Laminate Chemical pad	50cm x 40cm	100	Chemical	Heavy Weight	Lubetech	0
76-6001	Single Laminate Chemical roll	50cm x 40m	1	Chemical	Heavy Weight	Lubetech	0
76-6002	Single Laminate Chemical roll	90cm x 40m	1	Chemical	Heavy Weight	Lubetech	0
							All figures are +/- 5%.

O"Lubetech[™] risborg-aps.dk 7

SOCK ABSORBENTS

Ideal for wrapping around leaking machinery or placing in difficult-to-get-at locations. Socks are also used to contain and absorb the spread of spilled fluids.

Socks are all made with a strong spun-bond outer sleeve featuring a highly absorbent core. The socks are available in either 1.2m or 3m lengths.





77-3000



77-1000

Product Code	Description	Dimensions (L x W)	Quantity	Format	Brand
77-3000	Spun-bond Oil Only sock	7.5cm dia. x 1.2m	20	Oil Only	Lubetech
77-3001	Spun-bond Oil Only sock	7.5cm dia. x 3m	8	Oil Only	Lubetech
77-2000	Spun-bond Maintenance sock	7.5cm dia. x 1.2m	20	Maintenance	Lubetech
77-2001	Spun-bond Maintenance sock	7.5cm dia. x 3m	8	Maintenance	Lubetech
77-1000	Spun-bond Chemical sock	7.5cm dia. x 1.2m	20	Chemical	Lubetech
77-1001	Spun-bond Chemical sock	7.5cm dia. x 3m	8	Chemical	Lubetech
All figures are +	/- 5%.				

PILLOW ABSORBENTS

Pillows are used to absorb leaks that are too large for a pad. They are ideal for a range of uses and situations that involve heavy and light machinery. Pillows are all made with a strong spunbond outer casing and a highly absorbent core. Pillows are available in two sizes.





Product Code	Description	Dimensions (L x W)	Quantity	Format	Brand
21-1018	Spun-bond Oil Only pillow	38cm x 23cm	16	Oil Only	Lubetech
21-1053	Spun-bond Oil Only pillow	40cm x 50cm	10	Oil Only	Lubetech
11-1028	Spun-bond Maintenance pillow	38cm x 23cm	16	Maintenance	Lubetech
11-1054	Spun-bond Maintenance pillow	40cm x 50cm	10	Maintenance	Lubetech
01-1013	Spun-bond Chemical pillow	38cm x 23cm	16	Chemical	Lubetech
01-1029	Spun-bond Chemical pillow	40cm x 50cm	10	Chemical	Lubetech
All figures are	+/- 5%.				

BOOM ABSORBENTS

Booms and sweeps are part of the essential equipment to clean up oil in fresh or sea water spills.

Our absorbent boom is available in two sizes; 20cm and 13cm diameter, both being 3m long. Absorbent boom is very effective at retrieving and offering some containment for marine based spills. The larger 20cm boom is best for use in open water while the smaller 13cm is easier to handle and quicker to deploy and retrieve. Snap hooks are situated 60cm from the end enabling long chains to be assembled.





Product Code	Description	Dimensions (L x W)	Quantity	Format	Brand
4WSNB00M133	Sock-in-net Oil Only boom	13cm dia. x 3m	4	Oil Only	Lubetech
4WSNB00M203	Sock-in-net Oil Only boom	20cm dia. x 3m	4	Oil Only	Lubetech
10WSNB00M20469	Sock-in-net Oil Only sump boom	20cm dia. x 46cm	10	Oil Only	Lubetech
01-1004	Sock-in-net Chemical boom	13cm dia. x 3m	4	Chemical	Lubetech
21-1007	Oil Only sweep	30.5m x 48cm	1	Oil Only	Lubetech
All figures are +/- 5%.					



PORTABLE SPILL KITS

Portable spill kits are ideal for transporting a quantity of absorbents to a spill site. They are compact and are easily stored on board vehicles or craft.

07-1050



- → Clip-Top carrier bags are easy to carry and store.
- → Vinyl bags are tough and can be restocked with absorbents once used.
- → Portable spill kits feature a combination of pads, socks (where applicable) and waste bags with ties to secure the spill once recovered.



17-1015

Product Code	Description	Spill Size (Ltr)	Quantity	Format	Brand	Pads	Socks	Waste Bag & Tie
27-1015	15 litre Oil Only Spill Response Kit - Clip Top Bag	15	1	Oil Only	Lubetech	15	1	1
27-1030	30 litre Oil Only Spill Response Kit - Clip Top Bag	30	1	Oil Only	Lubetech	25	3	3
27-1050	50 litre Oil Only Spill Response Kit - Vinyl Bag	50	1	Oil Only	Lubetech	50	4	5
17-1015	15 litre Maintenance Spill Response Kit - Clip Top Bag	15	1	Maintenance	Lubetech	15	1	1
17-1030	30 litre Maintenance Spill Response Kit - Clip Top Bag	30	1	Maintenance	Lubetech	25	3	3
17-1050	50 litre Maintenance Spill Response Kit - Vinyl Bag	50	1	Maintenance	Lubetech	50	4	5
07-1015	15 litre Chemical Spill Response Kit - Clip Top Bag	10	1	Chemical	Lubetech	15	1	1
07-1030	30 litre Chemical Spill Response Kit - Clip Top Bag	30	1	Chemical	Lubetech	25	3	3
07-1050	50 litre Chemical Spill Response Kit - Vinyl Rag	50	1	Chemical	Luhetech	50	4	5

27-1030

All figures are +/- 5%

STATIC SPILL KITS

Static spill kits are best located where spills are possible or more likely to occur.

- → Round bin with detachable lid contains → the spill and used absorbents.
- → Rugged round bin protects the absorbents and keeps them dry until needed.
- Spill kit features pads to recover the spill and socks to contain the spread of the spill.
- → Spill kits contain waste bags with ties to secure the spill once recovered.



Product Code	Description	Spill Size (Ltr)	Quantity	Format	Brand	Pads	Socks	Waste Bag & Tie
27-1080	80 litre Oil Only Spill Response Kit - Static Bin	80	1	Oil Only	Lubetech	80	6	6
17-1080	80 litre Maintenance Spill Response Kit - Static Bin	80	1	Maintenance	Lubetech	80	6	6
07-1080	80 litre Chemical Spill Response Kit - Static Bin	80	1	Chemical	Lubetech	80	6	6

All figures are +/- 5%.

10

WHEELED CONTAINER SPILL KITS

Moving a larger amount of absorbents to the site of a spill in these wheeled bins makes response times quicker.

- → Two wheeled bins are highly manoeuvrable and feature a hinged lid.
- → Four wheeled bins are robust and can hold larger quantities of absorbents.
- → Wheeled bins can also be used to transport the contaminated absorbents once used.
- → Refills are available to save on cost - ask us for more details.
- → Four wheel bins are available with a drop front option - ask us for more details.









Product Code	Description	Spill Size (Ltr)	Quantity	Format	Brand	Pads	Roll	Socks 1.2m	Socks 3m	Pillows	Hazmat Tape	Floor Sign	Waste Bag & Tie
27-1120	120 litre Oil Only Spill Response Kit 2 wheel bin	120	1	Oil Only	Lubetech	110	-	10	-	-	-	-	10
27-1240	240 litre Oil Only Spill Response Kit 2 wheel bin	240	1	Oil Only	Lubetech	225	-	20	-	-	-	-	18
27-1360	360 litre Oil Only Spill Response Kit 2 wheel bin	360	1	Oil Only	Lubetech	240	-	36	-	-	-	-	24
27-1750	600 litre Oil Only Spill Response Kit 4 wheel bin	600	1	Oil Only	Lubetech	300	1	20	16	16	1	1	40
27-1100	1000 litre Oil Only Spill Response Kit 4 wheel bin	1000	1	Oil Only	Lubetech	500	2	20	16	20	1	1	60
17-1120	120 litre Maintenance Spill Response Kit 2 wheel bin	120	1	Maintenance	Lubetech	110	-	10	-	-	-	-	10
17-1240	240 litre Maintenance Spill Response Kit 2 wheel bin	240	1	Maintenance	Lubetech	225	-	20	-	-	-	-	18
17-1360	360 litre Maintenance Spill Response Kit 2 wheel bin	360	1	Maintenance	Lubetech	240	-	36	-	-	-	-	24
17-1750	600 litre Maintenance Spill Response Kit 4 wheel bin	600	1	Maintenance	Lubetech	300	1	20	16	16	1	1	40
17-1100	1000 litre Maintenance Spill Response Kit 4 wheel bin	1000	1	Maintenance	Lubetech	500	2	20	16	20	1	1	60
07-1120	120 litre Chemical Spill Response Kit 2 wheel bin	120	1	Chemical	Lubetech	110	-	10	-	-	-	-	10
07-1240	240 litre Chemical Spill Response Kit 2 wheel bin	240	1	Chemical	Lubetech	225	-	20	-	-	-	-	18
07-1360	360 litre Chemical Spill Response Kit 2 wheel bin	360	1	Chemical	Lubetech	240	-	36	-	-	-	-	24
07-1750	600 litre Chemical Spill Response Kit 4 wheel bin	600	1	Chemical	Lubetech	300	1	20	16	16	1	1	40
07-1100	1000 litre Chemical Spill Response Kit 4 wheel bin	1000	1	Chemical	Lubetech	500	2	20	16	20	1	1	60
All figures	are +/- 5%.												

CLubetech risborg-aps.dk 11

MARINE SPILL KITS These Marine Spill Kits can be stored on-board vessels or on land in ports or harbours

Marine spill kits are available in a range of sizes from a 12 barrel spill down to a 1.5 barrel spill.

- → Oil Only absorbents will recover just oil-based fluids without recovering any water.
- Spill Kits contain absorbents plus equipment for recovering the spill.
- → Storage containers made from durable and weather resistant polypropylene.

Lubetech Marine 1.5 Barrel SOPEP Kit contents

- → 300 pads
- → 15 socks 1.2m 2 booms
- → 16 pillows
- → 1 sweep
- → 1 hand lever pump
- 3 gloves
- 3 dust masks
- → 3 safety goggles
- → 3 coverall suits
- 2 buckets
- → 2 hand scoops
- → 2 hand shovels



Lubetech Marine 12 Barrel SOPEP Kit contents

→ 2 x drain plugs

→ 1 x 5L hand sprayer

→ 10L oil degreaser

→ 2 x hand scoops

→ 2 x hand shovels

→ 1 x 5L hand sprayer

→ 10L oil degreaser

→ 2 x 1000kg waste bag

→ 2 x drain plugs

→ 2 x 1000kg waste baq

→ 20 disposable bags and ties

66-1000

- → 600 x pads
- → 2 x rolls
- → 32 x socks 1.2m
- → 12 x booms
- → 24 x pillows
- → 2 x sweeps → 1 x hand lever pump
- → 5 x gloves → 5 x dust masks
- → 5 x safety goggles
- → 5 x coverall suits
- → 2 x buckets
- 2 x hand scoops 2 x hand shovels

Lubetech Marine 7 Barrel SOPEP Kit contents

- → 400 x pads
- → 1 x rolls
- → 24 x socks 1.2m → 8 x booms
- → 18 x pillows
- → 1 x sweep
- → 1 x hand lever pump

520250

43-1001

- → 5 x gloves
- → 5 x dust masks
- → 5 x safety goggles → 5 x coverall suits
- → 2 x buckets

7	20 x dispos	savie vays	all
	1	-	

Product Code	Description	Spill Size	Quantity	Format	Brand	Container
66-1003	1.5 Barrel SOPEP Spill Kit	1.5 barrels	1	Oil Only	Lubetech	500L Storage Bin
66-1001	7 Barrel SOPEP Spill Kit	7 barrels	1	Oil Only	Lubetech	1000L Storage Bin
66-1000	12 Barrel SOPEP Spill Kit	12 barrels	1	Oil Only	Lubetech	2 x 1000L Storage Bin
All figures a	re +/- 5%.					

66-1003

MERCURY SPILL KIT

Designed to handle all the stages of cleaning up mercury spills.

To be used in a 3 stage approach:

(1) Identify presence of mercury.

(2) Suppress vapours. (3) Convert mercury into amalgam.

- → 1 x 270g Amalgamation Powder
- → 1 x 250g Indicator Powder
- → 1 x 454g Vapour Suppressor Shaker Bottle
- → 1 x Aspirator Bottle

12

- → 1 x Waste Collection Bottle → 1 x Mixing Tub with Spatula
- → 1 x Chemical Sponge → 1 x Disposal Bag & Twist Tie → 1 x (pair of) Nitrile Gloves
 - → 1 x (pair of) Splash Goggles
 - → 1 x Whisk on Pan
 - → 1 x Plastic Case w/Handle

Product Code	Description	Weight (kg)	Quantity	Format	Brand
520250 (43-1001)	Complete Mercury Spill Kit	2.27	1	Chemical	Spilfyter
All figures are +/- 5%					

ACID NEUTRALISER

Features KOLOR-SAFE® colour change process – indicating when the acid has been neutralised and is safe for final clean-up. Dry formula is concentrated which has approximately twice the neutralising capacity versus a liquid neutraliser.

Product Code	Description	Weight (gm)	Quantity	Format	Brand
440001 (35-1080)	Dry Acid Neutraliser	900gm	Packs of 10	Chemical	Spilfyter
All figures are +/- 5%.					





RISBORG

SECONDARY CONTAINMENT SPILL PREVENTION

This regulation applies to any container with a storage capacity of over 200 litres, and applies to any industrial, commercial or institutional site, e.g. factories, shops, offices, hotels, schools, public sector buildings and hospitals. All types of oil except waste oil



- → All Secondary Containment items shown comply with environmental quidelines.
- → Sump capacities meet requirements and prevents spills or leaks from reaching the environment.
- → Made from rugged and hardworking polypropylene.
- **NEW** Stackable spill pallets save space when not in use.

31-3071-ST

are included. A bund has to form a container around the tank capable of holding 110% of the contents of the oil stored or 25% of the total volume, whichever is greater. This is known as secondary containment.







31-3022

Stackable Single IBC spill pallet, with grating Lubetech

31-3073-ST | Stackable Double IBC spill pallet, with grating | Lubetech

4-drum spill pallet, stackable



CONTACT US for more details

+45 51 27 32 52

Product Code	Description	Brand	Bund Capacity (litres)	Size L x W x H (mm)
31-3002	2-drum Bunded Workfloor	Lubetech	112	1600 x 800 x 150
31-3003	4-drum Bunded Workfloor	Lubetech	232	1600 x 1600 x 150
31-3005	1500mm workfloor linking kit	Lubetech	-	-
31-3006	700mm workfloor linking kit	Lubetech	-	-
31-3007	Workfloor cross connector	Lubetech	-	-
31-3022	2-drum spill pallet	Lubetech	250	1300 x 750 x 440
31-3024	4-drum spill pallet	Lubetech	250	1300 x 1290 x 290
31-3025	2-drum All-weather spill pallet	Lubetech	250	1565 x 995 x 2110
31-3026	4-drum All-weather spill pallet	Lubetech	250	1260 x 1565 x 2110
31-3071	Single IBC spill pallet, with grating	Lubetech	1120	1450 x 1450 x 1000
31-3073	Double IBC spill pallet, with grating	Lubetech	1130	2450 x 1450 x 580

O"Lubetech" risborg-aps.dk 13

1680 x 1680 x 700

2260 x 1465 x 575

1460 x 1460 x 305

1260

1200

Lubetech 249

SITE MAT SPILL CONTAINMENT

Site Mat provides a quality on-site solution to meet the increasing demand for the protection of the environment. The Site Mat allows the free-flow of filtered water through the products side walls, eliminating the requirement of regular decanting of secondary containment trays when deployed outdoors.



48-0630

Top: Site Mat is ideal for refuelling or servicing plant machinery and equipment

> Above: Will withstand heavy plant machinery

Product Code	Description	Brand	Size L x W (mm)	Colour
47-0600	600 x 400mm Site Mat base unit	Lubetech	600 x 400	Red and Black
47-0630	Filtatech Smart Liner Plus to suit 600 x 400mm base unit	Lubetech	600 x 400	Grey
47-1000	1000 x 600mm Site Mat base unit	Lubetech	1000 x 600	Red and Black
47-1030	Filtatech Smart liner Plus to suit 1000 x 600mm base unit	Lubetech	1000 x 600	Grey
47-2000	2000 x 1400mm Site Mat base unit	Lubetech	2000x 1400	Red and Black
47-2030	Filtatech Smart Liner Plus to suit 2000 x 1400mm base unit	Lubetech	2000x 1400	Grey
48-0630	600 x 400mm Kit with Smart Liner Plus	Lubetech	600 x 400	Red, Black and Grey
48-1030	1000 x 600mm Kit with Smart Liner Plus	Lubetech	1000 x 600	Red, Black and Grey
48-2030	2000 x 1400mm Kit with Smart Liner Plus	Lubetech	2000 x 1400	Red, Black and Grey

LEAK DIVERTERS

Available in three sizes and ideal

for construction sites or locations

that have plant equipment

Catch roof leaks and divert spills from office and equipment with this lightweight solution. Effectively channel spills to a standard hose hook-up. Deploy flat for wide area coverage or as a bucket for point defence. Available in a choice of sizes.

Product Code	Description	Qty.
39-1001	7.6m Drip Diverter Discharge Hose	1
39-1002	1.5m x 1.5m Roof Drip Diverter	1
39-1010	Adjustable bungee cord kit	1





A first line of defence to prevent spills entering into the water drainage system.



Polyurethane **Drain Covers**

- Adhesive coating on both surfaces allows for improved seal
- → Flexible and reusable
- → Heavy gauge polyurethane is very

Polyurethane Drain Guard

- → Flexible with sticky base
- → Interlocking ends allow complete bund to be formed around drain
- → Handles assist positioning

1		_	
		31-7036	
31-7009			
Product	Description	Size (cm/m)	Qty.

Product Code	Description	Size (cm/m)	Qty.
31-7005	Polyurethane Drain Cover	50cm x 50cm	1
31-7009	Polyurethane Drain Cover	60cm x 60cm	1
31-7021	Polyurethane Drain Cover	90cm x 90cm	1
31-7036	Polyurethane Spill Barrier	7cm x 3m	1

DRAIN FILTRATION

Manage the prevention of contaminated water entering natural water courses and the storm drainage system with these proven filtered barriers products.

Oil & Sediment Drain Guard

- → Hydrophilic Fabric membrane sits within drain
- → Selects oils from fluids passing through
- → Retains oils once filtered

Oil Sediment Sock

- → Pump contaminated water through the sock using a standard pump
- → Can be reused a number of times
- → Perfect for construction sites and utilities companies wanting to de-water excavations without expensive tanker costs

Product Code	Description	Size (cm/m)	Qty.
38-1001	Oil & Sediment Drain Guard	122cm x 91.5cm x 45cm	1
47-7011	Oil & Sediment Sock	30.5cm dia. x 1.5m	1



SPILL RECOVERY GRANULES

Whilst granular absorbents still have a use they are outperformed by absorbent pads and rolls when user health and disposal costs are taken into consideration.

Premium Clay Granules

- → Fine grade granules for superior absorption of oil and areases
- → Fine particles granules penetrate tarmac and concrete more effectively than standard granules.

Recycled Clay Granules

- → Made from recycled gypsum
- → The most environmentally friendly traditional granules available on the market

Cellulose Absorbent

- → Made from cellulose fibres
- → Absorbs both oil- and water-based spills





Product Code	Description	Bag Size (Itr)	Quantity /pallet	Absorbs	Brand
OilDriP	Premium Clay Granules	20	70	All types	OilDri
OilDriR	Recycled Clay Granules	20	91	All types	OilDri
PYR60	Cellulose Absorbent	35	60	All types	Pyrasorb

RISBORG O"Lubetech risborg-aps.dk 15 14

ABSORBENT TYPE CHEMICAL COMPATIBILITY

Maintenance

Oil Only

Chemical

Acetaldehyde		0
Acetic Acid		0
Acetic Acid Amyl Ester		0 0
Acetic Anhydride		
Acetone		0 0
Acetyl Chloride		0 0
Acrolein		0 0
Acrylic Acid		0
Acrylic Emulsions		0
Acrylonitrile		0
Allyl Alcohol		0
Aminobenzoic Acid		0
Ammonia (anhydrous)		0 0
Ammonium Hydroxide		0 0
Amyl Acetate		0 0
Amyl Alcohol		0
Aniline		0
Aqua Regia		0
Aviation Fuel		0 0
Benzene		0 0
Benzoic Ether		0 0
Benzonitrile		0
Benzyl Alcohol		0
Benzyl Chloride		
Boric Acid		0
Brake Fluid		0 0
Bromine		0
Butyl Acetate		0 0
Butyl Alcohol		0 0
Butylamine	0	0
Butyric Acid		0 0
Calcium Hydroxide	0	0 0
Carbolic Acid		0
Castor Oil	0	0
Chloracetic Acid	Ŭ	0
Chlorbenzene	0	0
Chlorine	0	0
Chlorine Soda	Ŭ	
Chloroform		
Chlorosulphuric Acid		0
Chlorox (full bleach)		0
Chromic Acid		
Citric Acid		
Corn Oil		
Cottonseed Oil		
Cresol	0	
Cicou		

Cyclohexane		0 0
Detergents	0	0
Dichlorbenzol	0	0 0
Diethyl Amine	0	0 0
Diethyl Ether	0	0 0
Di-Nitrobenzene	0	0 0
Dioxan	0	0
Disooctyl Phthalate	0	0 0
Ether	0	0 0
Ethyl Acetate	0	0 0
Ethyl Alcohol	0	0 0
Ethyl Chloride	0	0 0
Ethyl Ether	0	0 0
Ethylene Glycol	0	0
Ethyl Propianate	0	0 0
Formaldehyde	0	0
Formic Acid	Ŭ	0
Fuel Oil		0
Galvanic Liquids	0	0
Gearbox Oil	0	0 0
Heptane	0	0 0
Hexane	0	0 0
Hydrazine	0	0
Hydrochloric Acid	0	0
Hydrofluoric Acid	0	0
Hydrogen Cyanide	0	0 0
Hydrogen Peroxide	0	0
Isobutyl Alcohol	0	0 0
Isobutyric Acid	0	0 0
Isopropyl Acetate	0	0 0
Isopropyl Alcohol	0	
Kerosene		
Ketones		
Linseed Oil		0 0
Lubricating Oil	0	0 0
Magnesium Oxide Hydrate	0	0
Methyl Alcohol	0	0 0
Methyl Chloride		0 0
Methyl Ether		0 0
Methyl Ethyl Ketone		0 0
Methyl Methacrylate	0	0 0
Methyl Propionate	0	0 0
Milk	0	0
Mineral Oil	0	0 0
Mineral Sprits	0	0 0
Motor Oil	0	0 0
	_	

Naphthalene		0	0
Nitric Acid			0
Nitrobenzene Acid			0
Nitrobenzol			0
Nitrotoluene	0	0	0
Octane	0		0
Oleic Acid	0		
Olive Oil	0		
Petroleum Ether	0	0	\circ
Phenol	0		0
Phenyl Formic Acid			0
Phosphoric Acid			$\overline{\bigcirc}$
Potassium Hydroxide			$\overline{\bigcirc}$
Propanol			0 0
Propionic Acid	0	0	0
Propyl Alcohol	0	0	0
Propylene Glycol	0	0	0
Ouinoline	0		
Resorcinol	0		
Saccharose	0		$\overline{\bigcirc}$
Salt Solutions (metallic)	0		
Silicone Oil	0	0	
Silver Nitrate	0		
Soap Solutions	0	0	
Sodium Bicarbonate	0		
Sodium Chloride	0		
Sodium Hydroxide	0	0	
Sodium Nitrate	0		
Stannic Chloride	0		
Starch	0		
Styrene	0	0	
Sucrose	0	0	
Sulphuric Acid			
Synthetic Motor Oil		0	
Tannic Acid		0	
Tin Chloride			0
Toluene	0	0	0
Transformer Oil	0		0
Trichlorethylene	0	0	
· · · · · · · · · · · · · · · · · · ·	0		
Triethylene Glycol	0	0 0 0	
Turpentine Urine	0	J	
Vinegar	0		
	0		
Vinyl Acetate Water	0	U	
vvalci			\cup

^{*} The user of this chart agrees to indemnify and hold Risborg and FyterTech Nonwovens Ltd. harmless against loss or threatened loss damages.



Call:+45 51 27 32 52 | Email:risborg@stofanet.dk Visit: www.risborg-aps.dk







